

Series 6, Gas Hob, 60 cm, , PPP6A6B20Z



The tempered-glass gas hob with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

- **FlameSelect:** for a precise adjustment of the flame in nine defined levels.
- **Single cast-iron pan supports:** for high firmness and easy handling.
- **Sword knobs:** for an ergonomic control.
- **Surface colour:** elegant black tempered-glass design.
- **Standard and semi-flush built-in option:** choose between flush or slightly raised installation.

Technical data

Product name/family : gas hob w integrated controls

Built-in / Free-standing : Built-in

Energy input : Gas

Total number of positions that can be used at the same time : 4

Type of control setting devices : sword knobs

Min. required niche size for installation (HxWxD) : 45 x 560-562 x 480-492 mm

Width of the appliance : 590 mm

Dimensions of the packed product (HxWxD) : 141 x 651 x 578 mm

Net weight : 14.1 kg

Gross weight : 15.0 kg

Residual heat indicator : without

Location of control panel : Hob front

Basic surface material : Tempered glass

Color of surface : Black

Color of frame : Black

Length electrical supply cord : 100.0 cm

Knob Material : Plastic

Sealed Burners : No

Type of pan support : Elongated cast iron pan support

Power of heating element (kW) : 1.75 kW

Power of 3rd heating element (kW) : 1.75 kW

Power of 5th heating element (kW) : 3 kW

Connection Rating : 1 W

Gas connection rating : 7500 W

Fuse protection : 3 A

Voltage : 220-240 V

Frequency : 50-60 Hz

Main colour of product : Black

Energy input : Gas

Gas type : Liquidgas G30,31 28-30/37 mbar

Plug type : South Africa plug

Appliance Dimensions (h x w x d) (in) : + x x

Dimensions of the packed product : 5.55 x 22.75 x 25.62

Net weight : 31.000 lbs

Gross weight : 33.000 lbs

Total number of positions that can be used at the same time : 4

Length electrical supply cord : 100.0 cm

Min. required niche size for installation (HxWxD) : 45 x 560-562 x 480-492 mm

Dimensions of the packed product (HxWxD) : 141 x 651 x 578 mm

Net weight : 14.1 kg

Gross weight : 15.0 kg



4 242005 305568

Series 6, Gas Hob, 60 cm, , PPP6A6B20Z

**The tempered-glass gas hob with
FlameSelect: achieve perfect cooking results
thanks to nine precisely defined power
levels.**

Design

- tempered black hard glass base surface, black
- frameless: install the hob either flush or slightly raised on the worktop
- Cast iron w rubber feet single

Comfort & Convenience

- Step valve 9 steps: precisely adjust the flame in nine defined and repeatable levels.
- Sword Knobs: easily access knobs in front with strong grip for effortless turning.
- Ignition via control knobs: just push and turn the knob to ignite the flame.

Burners and power

- 4 PC
- Left front: Standard burner up to 1.75 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: High speed burner up to 3 KW (depending on gas type)
- Right front: Economy burner up to 1 KW (depending on gas type)


Safety

- Flame failure safety device: prevents unwanted gas flow when flame goes out.

Installation (gas types & measurements)

- Usable for: Liquid gas G30,31 28-30/37mbar
- Preset of liquid gas (28-30/37mbar)
- Dimensions of the product (HxWxD mm): 58 x 590 x 520
- Required niche size for installation (HxWxD mm) : 45 x 560 x (480 - 492)
- Min. worktop thickness: 30 mm
- Power cord 1 m South Africa plug: plug and play, no electrician required for installation.
- Connected load: 7.5 KW

Series 6, Gas Hob, 60 cm, , PPP6A6B20Z



- * Minimum distance from the hob cut-out to the wall
- ** Position of gas connection in the cut-out
- *** With fitted oven underneath, possibly more; see space requirements for the oven

