

Series 4, Freestanding Dishwasher, 60 cm, Brushed steel anti-fingerprint SMS46NI00Z



A++



Our ActiveWater 60 in A++: Especially good for the environment and your budget, thanks to very high energy efficiency.

- **HygienePlus option:** Extended increased temperature cycle for hygienic cleaning.
- **Auto Program:** automatically optimised for the best cleaning performance.
- **VarioFlex-baskets and VarioDrawer:** enhanced re-adjusting options with more space on all levels.
- **Rackmatic:** even more adjustment options and thus maximum flexibility.
- **Silence Plus:** pleasantly quiet at 48 dB.

SGZ1010	inlet and outlet hose extension
SMZ2014	Rack insert for stemware dishwasher
SMZ5000	Dishwashing aid set
SMZ5001	Baby care kit
SMZ5100	Vario-cutlery basket
SMZ5300	GlassSecure Tray

Maximum number of place settings:	13
The water consumption of the eco programme in liters per cycle (EU 2017/1369):	9.5 l
Built-in / Free-standing:	Free-standing
Removable top:	Yes
Door panel options:	Not possible
Color / Material panel:	Stainless steel colour, lacqu.
Color / Material body:	Brushed steel anti-fingerprint
Color / Material top:	Stainless steel colour, lacqu.
Frequency:	50; 60 Hz
Length electrical supply cord:	175.0 cm
Plug type:	South Africa plug
Length inlet hose:	165 cm
Length outlet hose:	190 cm
Adjustable plinth:	No
Height of removable worktop:	30 mm
Height of the appliance:	845 mm
Maximum adjustability feet:	20 mm
Dimensions of the product (HxWxD):	845 x 600 x 600 mm
Dimensions of the packed product (HxWxD):	885 x 650 x 670 mm
Net weight:	47.5 kg
Gross weight:	48.8 kg
Voltage:	220-240 V
Connection rating:	2400 W
Fuse protection:	10 A
Hidden heating element:	Yes



Series 4, Freestanding Dishwasher, 60 cm, Brushed steel anti-fingerprint SMS46NI00Z

Our ActiveWater 60 in A++: Especially good for the environment and your budget, thanks to very high energy efficiency.

GENERAL INFORMATION

- Capacity: 13 place settings
- Energy consumption in programme Eco 50 °C: 0.92 kWh
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 210 minutes
- Noise level: 48 dB (re 1 pW) freestanding, can be built under

Performance

- 6 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Quick wash 65 °C, Quick wash 45 °C
- 4 temperatures

Key features

- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- BLDC
- Hydrosensor III
- Auto 3-in-1 detergent detection for best rinsing and washing results
- Heat exchanger.
- Alternating spray arms
- Regenerative electronics

Design

- Remaining programme time indicator (min)
- Red LED indicators
- Electronic time delay: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- Anti-Fingerprint surface coating

Programmes / functions


- VarioFlex basket system
- 3 stage Rackmatic height-adjustable top basket

Additional features

- Aquastop anti flood device with guarantee
- Child safety -Tamperproof controls
- Servo lock for effortless door closing
- Aquamix - Glass protection system
- Polinox drum
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

Series 4, Freestanding Dishwasher, 60 cm, Brushed steel anti-fingerprint SMS46NI00Z

measurements in mm



⏏ socket
() values with extension kit